



Audixa Series

LIVEY AUDIXA 311 SERIES
WIRED HEADSET

Comfort & Excellent Audio Performance
Great Value for Contact Centre & Business.





FOR OFFICE & ENTERPRISES, CONTACT CENTER, HOME OFFICE

Ideal for home office workers, students, and freelancers who need a reliable and affordable headset for online classes, meetings, and calls.

- 
Dual ENC Mics
- 
HD Sound Quality
- 
Ear Protection Feature
- 
Comfort & lightweight design

Compatible





**Crystal-Clear
Conversations**



**Immersive Audio
Experience**



**Seamless
compatibility**

KEY FEATURES

- Built in with Dual ENC Mics
- HD Sound Quality
- USB-A / USB-C / QD Options
- UC Compatible (311DU)
- Comfortable & lightweight design and with rich features & quality, yet at low cost
- Artificial protein leather cushions
- Built in with ear protection feature

Variants:



LT-311DU
Direct Type-A Headset
with ENC Mic



LT-311DC
Direct Type-C UC Headset
with ENC Mic



LT-311DP-USB
USB ENC QD Headset
with USB Cord

TECHNICAL SPECIFICATIONS

	Model/Features	311DU-ENC	311U-ENC	311DP-USB	311P-USB
Audio Performance	Hearing Protection	Yes	Yes	Yes	Yes
	Speaker Size	27 mm	27 mm	27 mm	27 mm
	Speaker Sensitivity	95 dBSPL ± 3 dB	95 dBSPL ± 3 dB	95 dBSPL ± 3 dB	95 dBSPL ± 3 dB
	Speaker Impedance	32ohm± 15%	32ohm± 15%	32ohm± 15%	32ohm± 15%
	Mic Impedance	2.2KQ	2.2KQ	2.2KQ	2.2KQ
	Microphone Sensitivity	- 38 dBV/Pa ± 3 dB	- 38 dBV/Pa ± 3 dB	- 38 dBV/Pa ± 3 dB	- 38 dBV/Pa ± 3 dB
	Microphone Frequency Range	20~20KHz	20~20KHz	20~20KHz	20~20KHz
	Call Control	Mute, Volume +/-	Yes	Yes	Yes
Wearing	Wearing Style	Over-the-head	Over-the-head	Over-the-head	Over-the-head
	Mic Boom Rotatable Angle	320	320	320	320
	Ear Cushion	Leather Ear Cushions	Leather Ear Cushions	Leather Ear Cushions	Leather Ear Cushions
Connectivity	Connector type	USB	USB	QD+USB	QD+USB
	Cable Length	1m (from headset unit to QD) + 1.2m (from QD to USB-A)	1m (from headset unit to QD) + 1.2m (from QD to USB-A)	1m (from headset unit to QD) + 1.2m (from QD to USB-A)	1m (from headset unit to QD) + 1.2m (from QD to USB-A)
General	Box Size	190mm*153mm*55mm	190mm*153mm*55mm	190mm*153mm*55mm	190mm*153mm*55mm
	Weight	120g	86g	120g	86g
	Working Temperature	-5.C~45.C	-5.C~45.C	-5.C~45.C	-5.C~45.C
	Warranty	24 months	24 months	24 months	24 months