



Audixa Series

LIVEY AUDIXA 510 SERIES
WIRED HEADSET

Engineered to Deliver Crystal Clear
Sound Quality





FOR OFFICE & ENTERPRISES, CONTACT CENTER, HOME OFFICE

Designed for call center agents, customer service representatives, and telemarketers who require clear and reliable communication for long hours.



Noise Cancelling Mic



HD Sound Quality



Hearing Protection



USB-A / QD Options

Compatible





**Sleek and Stylish
Design**



**Advanced Noise
Cancellation**



**Seamless
Compatibility**

KEY FEATURES

- Electret condenser noise canceling Mic
- HD Sound Quality
- USB-A / QD Options
- Compatible with UC & Microsoft Teams (510DM)
- Top-level Acoustics & Hearing Protection
- Monaural options are available.

Variants

- 510DM Dual ENC Stereo Direct USB Headset with MS Teams (510M Monaural Ver.)
- 510DU ENC Stereo Direct USB Headset (510U Monaural Ver.)
- 510DP Binaural QD Headset (510P Monaural Ver.)



TECHNICAL SPECIFICATION

Model/Features		LT510DM	LT510M	LT510DU	LT510U	LT510DP	LT510P
Audio Performance	Hearing Protection	118 dBA SPL	118 dBA SPL	119 dBA SPL	119 dBA SPL	120 dBA SPL	120 dBA SPL
	Speaker Size	Ø28	Ø28	Ø28	Ø28	Ø28	Ø28
	Speaker Max Input Power	30mW	30mW	30mW	30mW	30mW	30mW
	Speaker Sensitivity	105+3dB	105+3dB	105+3dB	105+3dB	105+3dB	105+3dB
	Impedance	32±20%	32±20%	32±20%	32±20%	32±20%	32±20%
	Speaker Frequency Range	100Hz ~ 10KHz	100Hz ~ 10KHz	100Hz ~ 10KHz	100Hz ~ 10KHz	100Hz ~ 10KHz	100Hz ~ 10KHz
	Microphone Directionality	Noise-cancelling Cardioid	Noise-cancelling Cardioid	Noise-cancelling Cardioid	Noise-cancelling Cardioid	Noise-cancelling Cardioid	Noise-cancelling Cardioid
	Microphone Sensitivity	-32+3dB@1KHZ	-32+3dB@1KHZ	-32+3dB@1KHZ	-32+3dB@1KHZ	-32+3dB@1KHZ	-32+3dB@1KHZ
	Microphone Frequency Range	100Hz ~ 8KHz	100Hz ~ 8KHz	100Hz ~ 8KHz	100Hz ~ 8KHz	100Hz ~ 8KHz	100Hz ~ 8KHz
Call Control	Mute, Volume +/-	Yes	Yes	Yes	Yes	Yes	Yes
Wearing	Wearing Style	Over-the-head	Over-the-head	Over-the-head	Over-the-head	Over-the-head	Over-the-head
	Mic Boom Rotatable Angle	320	320	321	321	322	322
	Ear Cushion	Foam	Foam	Foam	Foam	Foam	Foam
Connectivity	Connector type	USB-A	USB-A	USB-A	USB-A	QD	QD
	Cable Length	200±5cm	200±5cm	200±5cm	200±5cm	200±5cm	200±5cm
General	Package Content	Headset, Use Manual, Cloth clip	Headset, Use Manual, Cloth clip	Headset, Use Manual, Cloth clip	Headset, Use Manual, Cloth clip	Headset, Use Manual, Cloth clip	Headset, Use Manual, Cloth clip
	Box Size	190mm*153mm*40mm	190mm*153mm*40mm	190mm*153mm*40mm	190mm*153mm*40mm	190mm*153mm*40mm	190mm*153mm*40mm
	Weight	112g	86g	112g	86g	112g	86g
	Working Temperature:	-5.C~45.C	-5.C~45.C	-5.C~45.C	-5.C~45.C	-5.C~45.C	-5.C~45.C
	Warranty	24 months	24 months	24 months	24 months	24 months	24 months